


In the claims:

1-34. (Cancelled).

35.(Currently amended) The compound of ~~claim 14~~ of the formula



wherein

R² is hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, hydroxy or cyano;

R³ is hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;

R⁵ is hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;

R⁶ is hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;

R⁷ is hydrogen, or unsubstituted lower alkyl;

R⁹ is hydrogen, lower alkyl, or aryl-lower alkyl; and

R¹⁰ is hydrogen.

R¹¹ is H or lower alkyl, R¹³ is H or unsubstituted lower alkyl,

n= 0 or 1,


R^a, R^b are lower alkyl or R^a and R^b taken together with the carbon atom to which they are attached form a 3 to 7 member carbocycle, and

R¹² is heterocyclyl, aryl or lower cycloalkyl

and Z is O, S or NR²⁸,

wherein R²⁸ is H or lower alkyl.

| 36. .(Previously presented) The compound of claim 35 of the formula



XIVa

wherein

R¹¹ is H or lower alkyl, R¹³ is H or unsubstituted lower alkyl,

n= 0 or 1 and

R¹² is heterocyclyl, aryl or lower cycloalkyl.

| 37. -(Currently amended)The compound of claims 36 wherein

R² is methoxy and R³, R⁵, R⁶, R⁹, R¹⁰, R¹¹ and R¹³ are hydrogen.

| 38.(Currently amended)The compound of claim 37 wherein R¹² representsis aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

| 39. -(Currently amended)The compound of claim 38 selected from the group consisting of:

Serial No. 09/779,116
Filed: February 8, 2001

Name	Structure
N-[3-(4-Hydroxy-phenoxy)-1,1-dimethyl-propyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(4-methoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-nitrophenoxy)propyl]oxalamide	
N-[3-(2-Hydroxyphenoxy)-1,1-dimethylpropyl]-N'-(3-methoxy-4-(5-oxazolyl)phenyl)oxalamide	
N-[3-(4-Amino-phenoxy)-1,1-dimethyl-propyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)-oxalamide	

Serial No. 09/779,116
Filed: February 8, 2001

N-[3-(4-Acetylamino-phenoxy)-1,1-dimethyl-propyl]-N'-(3-methoxy-4-oxazol-5-yl-phenyl)oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(3-pyridyloxy)propyl]oxalamide	
N-[3-(3-Hydroxyphenoxy)-1,1-dimethylpropyl]-N'-(3-methoxy-4-(5-oxazolyl)phenyl)oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(3-methoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(3-nitrophenoxy)propyl]oxalamide	
N-[3-(3-Aminophenoxy)-1,1-dimethylpropyl]-N'-(3-methoxy-4-(5-oxazolyl)phenyl)oxalamide	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-3-methylbutoxy]benzoic acid	

Serial No. 09/779,116
Filed: February 8, 2001

2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
2-[4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenoxy]acetic acid	
2-[2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenoxy]acetic acid	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1,1-dimethyl-3-phenoxypropyl)oxalamide	






N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(1-oxido-3-pyridyloxy)propyl]oxalamide	
N-[3-(3,4-Dihydroxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-[4-(methylcarbamoyl)phenoxy]propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(3,4-dimethoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-[4-[(2-Hydroxyethyl)carbamoyl]phenoxy]-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

Serial No. 09/779,116
Filed: February 8, 2001

<p>N-[3-(3-Chlorophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide</p>	
<p>N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(3-pyridyloxy)propyl]oxalamide</p>	
<p>N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-pyridyloxy)propyl]oxalamide</p>	
<p>2-[4-[3-[[3-Methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-3-methylbutoxy]phenyl]acetic acid</p>	
<p>2-[3-[3-[[3-Methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-3-methylbutoxy]phenyl]acetic acid</p>	
<p>4-[2-[[3-Methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-2-methylpropoxy]benzoic acid</p>	

4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-methylbenzoic acid	
3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]propionic acid	
3-[4-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]propionic acid	
3-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]propionic acid	
2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenoxy]acetic acid	

Serial No. 09/779,116
Filed: February 8, 2001

4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxallyl]amino]-3-methylbutoxy]-3-methylbenzoic acid	
N-[3-(4-Cyano-2-methoxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(3-Cyanophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-[4-(4-Acetyl-1-piperazinyl)phenoxy]-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-morpholinophenoxy)propyl]oxalamide	

Serial No. 09/779,116
Filed: February 8, 2001

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-[3-(dimethylamino)phenoxy]propyl]oxalamide	
N-[3-(1,3-Benzodioxol-5-yloxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(3,4,5-trimethoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(3,5-dimethoxyphenoxy)-1,1-dimethylpropyl]oxalamide	
N-[3-(5,6,7,8-Tetrahydro-5-oxo-2-naphthyloxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

N-[3-(2-Acetamido-5-methylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(3-Acetamidophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(1H-Indol-4-yloxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(2-Fluoro-6-methoxyphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-oxo-2H-1-benzopyran-7-yloxy)propyl]oxalamide	






N-[3-(4-Acetyl-3-methylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
(E)-N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-[4-(3-oxo-1-but enyl)phenoxy]propyl]oxalamide	
N-[3-(3-Acetylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(4-Acetylphenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(4-Acetamido-2-chlorophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	

Serial No. 09/779,116
Filed: February 8, 2001

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-pyridyloxy)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(1-oxido-4-pyridyloxy)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2,6-dimethyl-4-pyridyloxy)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2,6-dimethyl-1-oxido-4-pyridyloxy)propyl]oxalamide	
N-[2-(4-Cyanophenoxy)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	






Serial No. 09/779,116
Filed: February 8, 2001

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[3-(2-methoxy-4-pyridyloxy)-1,1-dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(1H-tetrazol-5-yl)phenoxy]ethyl]oxalamide	
N-[3-(4-Cyanophenoxy)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[2-(3-Cyanophenoxy)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[3-(1H-tetrazol-5-yl)phenoxy]ethyl]oxalamide	


N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-[4-(1H-tetrazol-5-yl)phenoxy]propyl]oxalamide	
Benzyl 2-methoxy-4-[3-[[3-methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-3-methylbutoxy]benzoate	
3-Chloro-4-[3-[[3-methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-3-methylbutoxy]benzoic acid	
2-Methoxy-4-[3-[[3-methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-3-methylbutoxy]benzoic acid	
3-Methoxy-4-[3-[[3-methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-3-methylbutoxy]benzoic acid	

2-Chloro-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-quinolinecarboxylic acid	
(cis/trans)-4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-1-cyclohexanecarboxylic acid	
(cis/trans)-4-[2-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropoxy]-1-cyclohexanecarboxylic acid	
3-Fluoro-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
3-Acetamido-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	

Serial No. 09/779,116
Filed: February 8, 2001

3-(Methanesulfonamido)-4-[3-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]benzoic acid	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-3,5-dimethylbenzoic acid	
3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-pyridinecarboxylic acid	
8-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-quinolinecarboxylic acid	
5-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]-2-indolecarboxylic acid.	

40.(Previously presented) The compound of claim 35 of the formula:



XIVb

wherein

R¹¹ is H or lower alkyl, R¹³ is H or unsubstituted lower alkyl,

n=0 or 1 , m=1 to 5 and,

R¹² is heterocyclyl, aryl or lower cycloalkyl.


41. -(Currently amended) The compound of claim 40 wherein

R² is methoxy and R³, R⁵, R⁶, R⁹, R¹⁰, R¹¹ and R¹³ are hydrogen.






42. -(Currently amended) The compound of claim 41 wherein R¹² represents aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

43. -(Currently amended) The compound of claim 42 selected from the group consisting of:

4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-1-cyclopropyl]ethoxy]benzoic acid




Serial No. 09/779,116
Filed: February 8, 2001


Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-1-cyclobutyl]ethoxy]benzoate	
Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-1-cyclopentyl]ethoxy]benzoate	
Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-1-cyclohexyl]ethoxy]benzoate	
4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-1-cyclopentyl]ethoxy]benzoic acid	
4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-1-cyclohexyl]ethoxy]benzoic acid	

Serial No. 09/779,116
Filed: February 8, 2001

4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclobutyl]ethoxy]benzoic acid.



44. -(Currently amended)The compound of claim 35 of the formula



45. .(Previously presented)The compound of claim 44 wherein
R² is methoxy and R³, R⁵, R⁶, R⁹, R¹⁰, R¹¹ and R¹³ are hydrogen.

46. -(Currently amended)The compound of claim 45 wherein R¹² represents is aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

Serial No. 09/779,116
Filed: February 8, 2001

47. -(Currently amended) The compound of claim 46 selected from the group consisting of:

Name	Structure
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(phenylthio)ethyl]oxalamide	
N-[2-(4-Hydroxyphenylthio)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(phenylthio)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-(2-pyridylthio)ethyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-pyridylthio)propyl]oxalamide	

Serial No. 09/779,116
Filed: February 8, 2001

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-thienylthio)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-pyrimidylthio)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(4-pyridylthio)propyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(2-thiazolylthio)propyl]oxalamide	
N-[3-(4-Hydroxyphenylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	


Serial No. 09/779,116
Filed: February 8, 2001

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-3-(5-methyl-1,3,4-thiadiazol-2-ylthio)propyl]oxalamide	
N-[3-(2-Benzooxazolylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N-[3-(2-Benzothiazolylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
Methyl 4-[2-[[3-methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-2-methylpropylthio]benzoate	
tert-Butyl 6-[[3-methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-3-methylbutylthio]-3-pyridinecarboxylate	

6-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]-3-pyridinecarboxylic acid trifluoroacetate (1:1)	<p>The structure shows a pyridine-3-carboxylic acid derivative. It features a pyridine ring substituted at position 3 with a carboxylic acid group (-COOH). Attached to the nitrogen atom of the pyridine ring is a thiomethyl group (-SCH₂-). A 3-methoxyphenyl group is attached to the thiomethyl group. A 5-oxazolyl group is attached to the 3-methoxyphenyl group. An amide side chain is attached to the 5-oxazolyl group, consisting of an oxalyl group (-CONHC(=O)-) linked to an amino group (-NH-), which is further linked to a 3-methylbutylthio group (-SCH₂CH₂CH(CH₃)₂). A trifluoroacetyl group (-C(=O)CF₃) is also present.</p>
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]benzoic acid	<p>The structure shows a benzoic acid derivative. It features a benzene ring substituted at position 4 with a carboxylic acid group (-COOH). Attached to the nitrogen atom of the benzene ring is a thiomethyl group (-SCH₂-). A 3-methoxyphenyl group is attached to the thiomethyl group. A 5-oxazolyl group is attached to the 3-methoxyphenyl group. An amide side chain is attached to the 5-oxazolyl group, consisting of an oxalyl group (-CONHC(=O)-) linked to an amino group (-NH-), which is further linked to a 3-methylbutylthio group (-SCH₂CH₂CH(CH₃)₂).</p>
N-[2-(4-Benzyloxyphenylthio)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	<p>The structure shows an oxalamide derivative. It features a phenyl ring substituted at position 2 with a thiomethyl group (-SCH₂-) and at position 4 with a methoxy group (-OCH₃). A 5-oxazolyl group is attached to the 4-methoxyphenyl ring. An amide side chain is attached to the 5-oxazolyl group, consisting of an oxalyl group (-CONHC(=O)-) linked to an amino group (-NH-), which is further linked to a 1,1-dimethylethylthio group (-SCH₂CH₂CH₂CH(CH₃)₂).</p>
N-[2-(4-Benzyloxyphenylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	<p>The structure shows an oxalamide derivative. It features a phenyl ring substituted at position 2 with a thiomethyl group (-SCH₂-) and at position 4 with a methoxy group (-OCH₃). A 5-oxazolyl group is attached to the 4-methoxyphenyl ring. An amide side chain is attached to the 5-oxazolyl group, consisting of an oxalyl group (-CONHC(=O)-) linked to an amino group (-NH-), which is further linked to a 1,1-dimethylpropylthio group (-SCH₂CH₂CH₂CH(CH₃)₂).</p>
2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutylthio]-5-benzoxazolecarboxylic acid	<p>The structure shows a benzoxazole-5-carboxylic acid derivative. It features a benzene ring substituted at position 2 with a carboxylic acid group (-COOH). Attached to the nitrogen atom of the benzene ring is a thiomethyl group (-SCH₂-). A 3-methoxyphenyl group is attached to the thiomethyl group. A 5-oxazolyl group is attached to the 3-methoxyphenyl group. An amide side chain is attached to the 5-oxazolyl group, consisting of an oxalyl group (-CONHC(=O)-) linked to an amino group (-NH-), which is further linked to a 3-methylbutylthio group (-SCH₂CH₂CH(CH₃)₂).</p>
N-[3-(1H-Imidazol-2-ylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	<p>The structure shows an oxalamide derivative. It features a phenyl ring substituted at position 3 with a thiomethyl group (-SCH₂-) and at position 4 with a methoxy group (-OCH₃). A 5-oxazolyl group is attached to the 4-methoxyphenyl ring. An amide side chain is attached to the 5-oxazolyl group, consisting of an oxalyl group (-CONHC(=O)-) linked to an amino group (-NH-), which is further linked to a 1,1-dimethylpropylthio group (-SCH₂CH₂CH₂CH(CH₃)₂). The imidazol-2-ylthio group is attached to the 1,1-dimethylpropylthio group.</p>

2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-3-methylbutylthio]-3-pyridinecarboxylic acid trifluoroacetate (1:1)	
4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-2-methylpropylthio]benzoic acid	
2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxaryl]amino]-3-methylbutylthio]-6-benzoxazolecarboxylic acid.	

48. (Previously presented) The compound of claim 35 of the formula



49. (Previously presented) Compound of claim 48, wherein R² is methoxy and R³, R⁵, R⁶, R⁹, R¹⁰, R¹¹ and R¹³ are hydrogen and R²⁸ is hydrogen or methyl.

50. (Currently amended) The compound of claim 49 wherein R¹² represents is aryl.

Serial No. 09/779,116
Filed: February 8, 2001

51. -(Currently amended) The compound of claim 50 selected from the group consisting of:

Name	Structure
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1,1-dimethyl-2-(N-methylanilino) ethyl] oxalamide	
N-(3-Anilino-1,1-dimethylpropyl)-N'-(3-methoxy-4-(5-oxazolyl)phenyl)oxalamide hydrochloride (1:1)	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxallyl]amino]-3-methylbutylamino]benzoic acid	

52-74. (Cancelled).